

| neodisher IF                           | R  |                            |                           |                      |
|--|--|----------------------------|---------------------------|----------------------|
| Version: 4 / GB                        | Replaces Version:  | 3 / GB                     | Date revised: 23.01.2023  | Print date: 23.01.23 |
|  |  |                            |                           |                      |
| SECTION 1: Identific                   | ation of the subs  | stance/n                   | nixture and of the compan | ly/undertaking       |
| 1.1. Product identifi<br>neodisher IR  | er   |                            |                           |                      |
| 1.2. Relevant identified Uses<br>PC35  |  |                            | ce or mixture and uses ad | -                    |
| 1.3 Details of the                     |  | <b>-</b> .                 |                           |                      |
| Address:                               |  | ake A                      | ustralia                  |                      |
|  |  |                            | Lexington Drive,          |                      |
|  |  |                            | /ista NSW,                |                      |
|  |  | Austra                     | lia 2153                  |                      |
| Business Telepho                       | ne Number:   | 1300 8                     | 389 201                   |                      |
| Emergency Telep                        | hone Number:   | Poisor<br>13 11            | ns Information Centre     |                      |
| 1.4. Emergency tele<br>Emergency telep | phone number<br>hone number: 112   | 10 11                      | 20                        |                      |
| <b>SECTION 2: Hazards</b>              | identification   |                            |                           |                      |
| Classification (Re                     | egulation (EC) No.<br>egulation (EC) No. 12<br>Met. Corr. 1<br>Skin Corr. 1B<br>Eye Dam. 1 | <b>1272/20</b><br>72/2008) | -                         | 2/2008               |
|  | of abbreviations see s   |                            |                           |                      |
| 2.2. Label elements                    |  |                            |                           |                      |
| Labelling accor                        | ding to regulatio  | n (EC) N                   | lo 1272/2008              |                      |
| Hazard pictogran                       | ns   |                            |                           |                      |
|  |  |                            |                           |                      |
| Signal word<br>Danger                  |  |                            |                           |                      |
| Hazard statemen                        | ts   |                            |                           |                      |
| H290<br>H314                           | May be corrosi   |                            | als.<br>s and eye damage. |                      |
| Precautionary sta                      |  |                            | o ana cyc damage.         |                      |



| neodishe  | r IR  |
|---|---|
| Version: 4 / GB   | Replaces Version: 3 / GBDate revised: 23.01.2023Print date: 23.01.23  |
| P280<br>P303+P36<br>P305+P35<br>P310  | with water [or shower].   |
| Hazardous contains  | component(s) to be indicated on label (Regulation (EC) No. 1272/2008)<br>phosphoric acid  |
| The produ<br>not contair  | hazards have to be mentioned.<br>ct contains no PBT substances. The product contains no vPvB substances. This product does<br>n a substance that has endocrine disrupting properties with respect to human. The product<br>contain a substance that has endocrine disrupting properties with respect to non-target                    |
| SECTION 3: Con  | mposition/information on ingredients  |
| 3.2. Mixtures<br>Hazardous i  | ingredients   |
| phosphoric<br>CAS No.<br>EINECS n<br>Registratic<br>Concentra<br>Classificat                          | 7664-38-2<br>o. 231-633-2<br>on no. 01-2119485924-24  |
| Concentra<br>Additional<br>CLP  | tion limits (Regulation (EC) No. 1272/2008)<br>Eye Irrit. 2 H319 >= 10 < 25 %<br>Skin Corr. 1B H314 >= 25 %<br>Skin Irrit. 2 H315 >= 10 < 25 %<br>remarks:<br>Regulation (EC) No 1272/2008, Annex VI, Note B  |
| Other inforr<br>Complete  | nation<br>text of hazard statements in chapter 16   |
| SECTION 4: Firs   |   |
| General info<br>Remove co<br>shower). Ir<br>After inhala<br>Ensure su<br>After skin co<br>After conta | ontaminated, soaked clothing immediately and dispose of safely. Clean body thoroughly (bath,<br>n any case show the physician the Safety Data Sheet.<br><b>tion</b><br>pply of fresh air. When spray fog inhaled, seek medical aid.<br><b>ontact</b><br>act with skin, wash immediately with plenty of water. Take medical treatment. |
| After eye co  |   |
|   |   |



Print date: 23.01.23

# neodisher IR Date revised: 23.01.2023 Version: 4 / GB Replaces Version: 3 / GB In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. Summon a doctor immediately. After ingestion If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting. Adhere to personal protective measures when giving first aid First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed Until now no symptoms known so far.

# 4.3. Indication of any immediate medical attention and special treatment needed

### Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

# SECTION 5: Firefighting measures

# 5.1. Extinguishing media

#### Suitable extinguishing media

Extinguishing measures to suit surroundings

### Non suitable extinguishing media

Full water jet

# 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

# 5.3. Advice for firefighters

# Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

#### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

# 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid formation of aerosols. Observe the usual precautions for handling chemicals. Keep container tightly closed.



| neodisher                         | IR                                |                                     |                         |   |             |                        |
|-----------------------------------|-----------------------------------|-------------------------------------|-------------------------|---|-------------|------------------------|
| Version: 4 / GB                   | Replaces                          | Version: 3 / G                      | B D                     | ate revised: 23.01  | .2023       | Print date: 23.01.23   |
| Advice on pro<br>The product i    | tection agair<br>s not combusti   |                                     | xplosior                | 1   |             |                        |
| 7.2. Conditions for               | or safe stor                      | age. includi                        | ng anv                  | incompatibiliti   | es          |                        |
| Recommende                        |                                   | •                                   |                         |   |             |                        |
| Value                             |                                   | > -15                               | <                       | 30 °C   |             |                        |
|                                   | al packaging,                     | tightly closed.                     | Storage ro              | ooms must be prop<br>ght to prevent leak                          |             | ted. Containers which  |
| Storage class                     | es                                |                                     |                         |   |             |                        |
| Storage class<br>TRGS 510         | according to                      | 8B                                  | Non-c                   | ombustible corrosiv   | e hazardo   | us substances          |
| 7.3. Specific end<br>no data      | use(s)                            |                                     |                         |   |             |                        |
| SECTION 8: Expo                   | sure contro                       | ls/personal                         | protect                 | ion   |             |                        |
| 8.1. Control para                 | meters                            |                                     |                         |   |             |                        |
| Exposure limit                    |                                   |                                     |                         |   |             |                        |
| phosphoric ac                     |                                   |                                     |                         |   |             |                        |
| List                              |                                   | EH40                                |                         |   |             |                        |
| Туре                              |                                   | WEL                                 |                         |   |             |                        |
| Value                             | noouro limit                      | 1<br>2                              | mg/m³                   |   |             |                        |
| Short term ex                     | •                                 | 2                                   | mg/m³                   |   |             |                        |
| phosphoric ac<br>List             | 10 70                             | IOELV                               |                         |   |             |                        |
| Type                              |                                   | IOELV                               |                         |   |             |                        |
| Value                             |                                   | 1                                   | mg/m³                   |   |             |                        |
| Short term ex                     | posure limit                      | 2                                   | mg/m³                   |   |             |                        |
| Other information                 | tion                              |                                     |                         |   |             |                        |
| There are not                     | known any fur                     | ther control pa                     | rameters                |   |             |                        |
| 8.2. Exposure co                  | ntrols                            |                                     |                         |   |             |                        |
| gases/vapour                      | h fountain avai<br>s/aerosols. Av | ilable. Hold em<br>oid contact with | ergency s<br>n skin and | shower available. D<br>I eyes. Do not eat,<br>in thoroughly after | drink or sn | noke during work time. |
| Respiratory p                     | otection                          |                                     |                         |   |             |                        |
| If workplace I<br>Particle filter |                                   | eded, a respirat                    | tory prote              | ction approved for t  | his particu | lar job must be worn.  |
| Hand protection                   | on                                |                                     |                         |   |             |                        |
| Chemical res                      | stant gloves                      |                                     |                         |   |             |                        |
| Use                               | latarial                          | Permanent ha                        | and conta               | act   |             |                        |
| Appropriate N<br>Material thick   |                                   | neoprene<br>>= 0,65                 | mm                      |   |             |                        |
| Breakthrough                      |                                   | > 0,05                              | min                     |   |             |                        |
| Appropriate N                     |                                   | nitrile                             |                         |   |             |                        |
| Material thick                    |                                   | >= 0,4                              | mm                      |   |             |                        |
| Breakthrough                      |                                   | > 480<br>butvl                      | min                     |   |             |                        |

mm

butyl

>=

0,7

Appropriate Material


Material thickness



| neodish   | er IR   |  |                    |             |                   |                      |
|---|---|--|--------------------|-------------|-------------------|----------------------|
| Version: 4 / GB   | Rep   | blaces Version: 3                                | 8 / GB             | Date revise | ed: 23.01.2023    | Print date: 23.01.23 |
| Use<br>Approp<br>Materia<br>Hand p<br><b>Eye prot</b> e                         | ection<br>glasses with sid  | Short-ter<br>nitrile<br>>= C<br>comply with EN 3 | ),11<br>374.       | mm          | st comply with EN | 166.                 |
|   |   | e chemical indus                                 |                    |             |                   |                      |
| SECTION 9: F  | Physical and  | d chemical pr                                    | operti             | es          |                   |                      |
| 9.1. Informat<br>Physical<br>Colour<br>Odour<br>Melting p<br>Remark<br>Freezing | state<br>point<br><s< th=""><th></th><th></th><th></th><th>rties</th><th></th></s<> |  |                    |             | rties             |                      |
| Remark  | -   | not de   | etermine           | ed          |                   |                      |
| Boiling p<br>Remar  |   | boiling point<br>not de                          | and bo<br>etermine |             |                   |                      |
| Flammat<br>evaluat  | •   | Not a  | oplicable          | e           |                   |                      |
| <b>Upper an</b><br>Remar  | d lower expl  |  | oplicable          | e           |                   |                      |
| Flash po<br>Remarl  | ks  | Not a  | oplicable          | e           |                   |                      |
|   | emperature  | Nete   | anlianhli          | _           |                   |                      |
| Remark  | -   |  | oplicable          | 9           |                   |                      |
| Remark  | -   |  | etermine           | ed          |                   |                      |
| <b>pH value</b><br>Value<br>Tempe   |   | <  | 1<br>20            | °C          |                   |                      |
| Viscosity   | 1   |  |                    |             |                   |                      |
| <b>dynamic</b><br>Value<br>Tempe  |   | <  | 50<br>20           | °C          | mPa.s             |                      |
| Solubility<br>Remark  |   | not de   | etermine           | ed          |                   |                      |
|   | coefficient n   | -octanol/water                                   |                    | alue)       |                   |                      |
| Vapour p  |   |  |                    |             |                   |                      |
| Remark  |   | not de   | etermine           | ed          |                   |                      |
| Density a   | and/or relativ  | e density  |                    |             |                   |                      |
| Value   |   |  | 1,37               |             | g/cm³             |                      |



| neodisher   | IR   |                            |   |                            |
|---|--|----------------------------|---|----------------------------|
| Version: 4 / GB   | Replaces Versi   | ion: 3/GB                  | Date revised: 23.01   | .2023 Print date: 23.01.23 |
| Temperature   |  | 20                         | °C  |                            |
| Relative vapo   | ur density   |                            |   |                            |
| Remarks   | r  | not determined             | t   |                            |
| 9.2. Other inform   | ation  |                            |   |                            |
| Odour thresh  | bld  |                            |   |                            |
| Remarks   | r  | not determined             | t   |                            |
| Evaporation ra  | ate (ether = 1) :  |                            |   |                            |
| Remarks   |  | not determined             | ł   |                            |
| Solubility in w   |  |                            |   |                            |
| Remarks   | r  | miscible in all p          | proportions   |                            |
| Explosive pro   | -  |                            |   |                            |
| evaluation  |  | not determined             | d diama d |                            |
| Oxidising pro   |  |                            |   |                            |
| evaluation  |  | None known                 |   |                            |
| Other informa   | tion   |                            |   |                            |
| None known  |  |                            |   |                            |
| <ul> <li>10.2. Chemical st<br/>No hazardou</li> <li>10.3. Possibility<br/>No hazardou</li> <li>10.4. Conditions<br/>No hazardou</li> <li>10.5. Incompatib<br/>Reactions with</li> </ul> | tability<br>s reactions known.<br>of hazardous rea<br>s reactions known.<br>to avoid<br>s reactions known.<br>le materials<br>th base metals, with | actions<br>evolution of hy | ed according to prescri<br>ydrogen. Reactions with  |                            |
| 10.6. Hazardous<br>No hazardou  | decomposition  <br>s decomposition pro   |                            |   |                            |
| SECTION 11: Tox   | icological inforn  | nation                     |   |                            |
| Acute oral tox<br>Species<br>ATE<br>Method  | rat<br>><br>calc   | 2000<br>culated value (    | Regulation (EC) No. 12  | g/kg<br>72/2008)           |
| Remarks   |  |                            | e data, the classificatio   | ח טוובוום מול ווטו ווופו.  |
|   | cicity (Component  | 5)                         |   |                            |
| <b>phosphoric ac</b><br>Species<br>LD50   | rat %  | 2600                       | m   | g/kg                       |
|   | ethoxylated, propo   | oxylated                   |   |                            |
| Species<br>LD50   | rat<br>>   | 2000                       | m   | g/kg                       |
|   |  |                            |   |                            |



DR.WEIGERT



| ersion: 4 / GB   | Replaces  | Version:  | 3 / GB   | Date revised:          | 23.01.2023 | Print date: 23.01.23 |
|--|---|---|--|------------------------|------------|----------------------|
| Fish toxicity (Co  | omponents)  | )   |  |                        |            |                      |
| phosphoric acid  | d %   |   |  |                        |            |                      |
| Species  |   | mosquito  |  |                        |            |                      |
| LC50<br>Duration of exp  | osure   |   | 138<br>96  | h                      | mg/l       |                      |
| Daphnia toxicity   |   |   |  |                        |            |                      |
|  |   |   |  |                        |            |                      |
| phosphoric acio<br>Species   | J 70  | Daphnia   | magna  |                        |            |                      |
| EC50   |   |   | 100  |                        | mg/l       |                      |
| Duration of exp  | osure   |   | 48   | h                      |            |                      |
| Method   | •   | OECD 2  | 02   |                        |            |                      |
| Algae toxicity (   | -   | S)  |  |                        |            |                      |
| phosphoric acio<br>Species   | d %   | Scenede   | esmus sut  | snicatus               |            |                      |
| EC50   |   |   | 100  | opicatus               | mg/l       |                      |
| Duration of exp  | osure   | -   | 72   | h                      | 0          |                      |
| Method   |   | OECD 2  | 01   |                        |            |                      |
| not determined<br>12.3. Bioaccumula<br>General informa   | tive potent   | tial  |  |                        |            |                      |
| not determined   | l   |   |  |                        |            |                      |
| not determined<br><b>Partition coeffic</b><br>Remarks  |   |   | <b>r (log va</b><br>eterminec                    | ,                      |            |                      |
| Partition coeffic  | cient n-octai<br>oil<br>ation   |   |  | ,                      |            |                      |
| Partition coeffic<br>Remarks<br>12.4. Mobility in so<br>General informa  | cient n-octai<br>Dil<br>ation   | not de  | eterminec  | ,                      |            |                      |
| Partition coeffic<br>Remarks<br>12.4. Mobility in so<br>General informa<br>not determined  | cient n-octar<br>oil<br>ation<br>BT and vPv<br>ation  | not de  | eterminec  | ,                      |            |                      |
| Partition coeffic<br>Remarks<br>12.4. Mobility in so<br>General informa<br>not determined<br>12.5. Results of PE<br>General informa  | cient n-octai<br>oil<br>ation<br>3T and vPv<br>ation<br>and vPvB a  | not de<br>B asses   | eterminec<br>ssment                              |                        |            |                      |
| Partition coeffic<br>Remarks<br>12.4. Mobility in so<br>General informa<br>not determined<br>12.5. Results of PE<br>General informa<br>not determined<br>Results of PBT  | cient n-octar<br>oil<br>ation<br>BT and vPv<br>ation<br>and vPvB a<br>ontains no PBT  | not de<br><b>B asses</b><br>ssessme<br>F or vPvB                                  | eterminec<br>ssment<br>ent<br>substanc           |                        |            |                      |
| Partition coeffic<br>Remarks<br>12.4. Mobility in so<br>General informa<br>not determined<br>12.5. Results of PE<br>General informa<br>not determined<br>Results of PBT<br>The product co<br>12.6 Endocrine dist   | cient n-octar<br>oil<br>ation<br>BT and vPv<br>ation<br>and vPvB a<br>ontains no PBT<br>srupting prope<br>pes not contair                                   | not de<br>B asses<br>ssessme<br>F or vPvB<br>operties<br>erties wit               | eterminec<br>ssment<br>substanc<br>s<br>th respe | es.<br>ct to the envri |            | es with respect to   |
| Partition coeffic<br>Remarks<br>12.4. Mobility in so<br>General informa<br>not determined<br>12.5. Results of PE<br>General informa<br>not determined<br>Results of PBT<br>The product co<br>12.6 Endocrine dism<br>Endocrine dism   | cient n-octar<br>oil<br>ation<br>BT and vPv<br>ation<br>and vPvB a<br>ontains no PBT<br>srupting prope<br>pes not contair<br>anisms.                        | not de<br>B asses<br>ssessme<br>F or vPvB<br>operties<br>erties wit               | eterminec<br>ssment<br>substanc<br>s<br>th respe | es.<br>ct to the envri |            | es with respect to   |
| Partition coeffic<br>Remarks<br>12.4. Mobility in so<br>General informa<br>not determined<br>12.5. Results of PE<br>General informa<br>not determined<br>Results of PBT<br>The product co<br>12.6 Endocrine dist<br>Endocrine dist<br>The product do<br>non-target orga<br>12.7. Other advers<br>General informa | cient n-octar<br>oil<br>ation<br>BT and vPv<br>ation<br>and vPvB a<br>ontains no PBT<br>srupting prope<br>bes not contair<br>anisms.<br>se effects<br>ation | not de<br>B asses<br>ssessme<br>F or vPvB<br>operties<br>erties wit               | eterminec<br>ssment<br>substanc<br>s<br>th respe | es.<br>ct to the envri |            | es with respect to   |
| Partition coeffic<br>Remarks<br>12.4. Mobility in so<br>General informa<br>not determined<br>12.5. Results of PE<br>General informa<br>not determined<br>Results of PBT<br>The product co<br>12.6 Endocrine dism<br>The product do<br>non-target orga<br>12.7. Other advers                                      | cient n-octar<br>oil<br>ation<br>BT and vPv<br>ation<br>and vPvB a<br>ontains no PBT<br>srupting prope<br>bes not contair<br>anisms.<br>se effects<br>ation | not de<br>Basses<br>ssessme<br>F or vPvB<br>operties<br>erties with<br>n a substa | eterminec<br>ssment<br>substanc<br>s<br>th respe | es.<br>ct to the envri |            | es with respect to   |



# neodisher IR

Version: 4 / GB

Replaces Version: 3 / GB

Date revised: 23.01.2023

Print date: 23.01.23

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Disposal recommendations for the product

EWC waste code18 01 06\*<br/>20 01 29\*chemicals consisting of or containing dangerous substances<br/>detergents containing dangerous substancesThe listed waste code numbers, according to the European Waste Catalogue (EWC), are to be<br/>understood as a recommendation. A final decision must be made in agreement with the regional waste<br/>disposal company.

#### **Disposal recommendations for packaging**

EWC waste code 15 01 02 plastic packaging

Completely emptied packagings can be given for recycling.

EWC waste code 15 01 10\* packaging containing residues of or contaminated by dangerous substances

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

#### **SECTION 14: Transport information**

|                                  | Land transport ADR/RID   | Marine transport<br>IMDG/GGVSee   | Air transport ICAO/IATA   |
|----------------------------------|--|---|---|
| Tunnel restriction code          | E  |   |   |
| IMDG-Code segregation group      |  | 1 Acids   |   |
| 14.1. UN number or ID number     | 1805   | 1805  | 1805  |
| 14.2. UN proper shipping name    | PHOSPHORIC ACID, SOLUTION  | PHOSPHORIC ACID, SOLUTION   | PHOSPHORIC ACID,<br>SOLUTION  |
| 14.3. Transport hazard class(es) | 8  | 8   | 8   |
| Label                            | Line and the second sec | L<br>L<br>L<br>L<br>L<br>L<br>L<br>L<br>L<br>L<br>L<br>L<br>L<br>L<br>L<br>L<br>L<br>L<br>L | 1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1<br>1 |
| 14.4. Packing group              | 111  | III   | III   |
| Limited Quantity                 | 51   | 51  |   |
| Transport category               | 3  |   |   |
| 14.5. Environmental hazards      |  | no  |   |

#### Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

#### Other information

**14.7 Maritime transport in bulk according to IMO instruments** Not applicable



| neodisher   |  |   |                          |
|---|--|---|--------------------------|
|   | IR   |   |                          |
| Version: 4 / GB   | Replaces Version: 3 / GE   | Date revised: 23.01.2023  | Print date: 23.01.23     |
| SECTION 15: Reg   | ulatory information  |   |                          |
| 15.1. Safety, hea or mixture  | Ith and environmental re   | gulations/legislation specifi   | c for the substance      |
| Ingredients (F  | Regulation (EC) No 648/200   | 4)  |                          |
| 30 % and mor  | e:   |   |                          |
| phosphates  |  |   |                          |
| less than 5 %   |  |   |                          |
| non-ionic sur   | factants   |   |                          |
| Water Hazard  | Class (Germany)  |   |                          |
| Water Hazard  |  |   |                          |
| (Germany)   |  |   |                          |
| Remarks   | Derivation of V  | VGK according to Annex 1 No. 5.2 A  | wSV                      |
| VOC (EU)  | 0  | %   |                          |
| . ,   | ions, restrictions and prohi   |   |                          |
| •   | ployment restrictions for young  | -   |                          |
| Other informa   |  |   |                          |
|   |  | very high concern (SVHC).   |                          |
|   |  | very high concern (SVHC).   |                          |
| 15.2. Chemical s  | afety assessment   | sment has not been carried out.   |                          |
| 15.2. Chemical s<br>For this prep   | afety assessment<br>aration a chemical safety asses  |   |                          |
| 15.2. Chemical s<br>For this prep<br>SECTION 16: Oth  | afety assessment<br>aration a chemical safety asses<br>er information  | sment has not been carried out.   | ures according to        |
| 15.2. Chemical s<br>For this prep<br>SECTION 16: Oth<br>Classification  | afety assessment<br>aration a chemical safety asses<br>er information  |   | ires according to        |
| 15.2. Chemical s<br>For this prep<br>SECTION 16: Oth<br>Classification<br>Regulation (E   | afety assessment<br>aration a chemical safety asses<br>er information<br>and procedure used to de<br>C) 1272/2008 [CLP]:<br>n (Regulation (EC) No. 1272/200  | rive the classification for mixtu   | ires according to        |
| 15.2. Chemical s<br>For this prep<br>SECTION 16: Oth<br>Classification<br>Regulation (E   | afety assessment<br>aration a chemical safety asses<br>er information<br>and procedure used to de<br>C) 1272/2008 [CLP]:<br>n (Regulation (EC) No. 1272/200<br>Met. Corr. 1  | rive the classification for mixtu<br>108)<br>H290   | ures according to        |
| 15.2. Chemical s<br>For this prep<br>SECTION 16: Oth<br>Classification<br>Regulation (E   | afety assessment<br>aration a chemical safety asses<br>er information<br>and procedure used to de<br>C) 1272/2008 [CLP]:<br>n (Regulation (EC) No. 1272/200<br>Met. Corr. 1<br>Skin Corr. 1B   | rive the classification for mixtu<br>N8)<br>H290<br>H314  | ires according to        |
| 15.2. Chemical s<br>For this prep<br>SECTION 16: Oth<br>Classification<br>Regulation (E<br>Classification   | afety assessment<br>aration a chemical safety asses<br>er information<br>and procedure used to de<br>C) 1272/2008 [CLP]:<br>n (Regulation (EC) No. 1272/200<br>Met. Corr. 1<br>Skin Corr. 1B<br>Eye Dam. 1   | rive the classification for mixtu<br>108)<br>H290   | ures according to        |
| 15.2. Chemical s<br>For this prep<br>SECTION 16: Oth<br>Classification<br>Regulation (E<br>Classification   | afety assessment<br>aration a chemical safety asses<br>er information<br>and procedure used to de<br>C) 1272/2008 [CLP]:<br>n (Regulation (EC) No. 1272/200<br>Met. Corr. 1<br>Skin Corr. 1B   | nsment has not been carried out.<br>rive the classification for mixtur<br>D8)<br>H290<br>H314<br>H318   | ires according to        |
| 15.2. Chemical s<br>For this prep<br>SECTION 16: Othe<br>Classification<br>Regulation (E<br>Classification<br>Hazard staten<br>H290<br>H314   | afety assessment<br>aration a chemical safety asses<br>er information<br>and procedure used to de<br>C) 1272/2008 [CLP]:<br>n (Regulation (EC) No. 1272/200<br>Met. Corr. 1<br>Skin Corr. 1B<br>Eye Dam. 1<br>nents listed in Chapter 2/3<br>May be corros<br>Causes severe  | rive the classification for mixtu<br>108)<br>H290<br>H314<br>H318<br>ive to metals.<br>e skin burns and eye damage.   | ures according to        |
| 15.2. Chemical s<br>For this prep<br>SECTION 16: Othe<br>Classification<br>Regulation (E<br>Classification<br>Hazard staten<br>H290<br>H314<br>H318   | afety assessment<br>aration a chemical safety asses<br>er information<br>and procedure used to de<br>C) 1272/2008 [CLP]:<br>n (Regulation (EC) No. 1272/200<br>Met. Corr. 1<br>Skin Corr. 1<br>Eye Dam. 1<br>nents listed in Chapter 2/3<br>May be corros<br>Causes severe<br>Causes seriou  | rive the classification for mixtu<br>N8)<br>H290<br>H314<br>H318<br>ive to metals.  | ires according to        |
| 15.2. Chemical s<br>For this prep<br>SECTION 16: Othe<br>Classification<br>Regulation (E<br>Classification<br>Hazard staten<br>H290<br>H314<br>H318<br>CLP categorie  | afety assessment<br>aration a chemical safety asses<br>er information<br>and procedure used to de<br>C) 1272/2008 [CLP]:<br>n (Regulation (EC) No. 1272/200<br>Met. Corr. 1<br>Skin Corr. 1<br>Eye Dam. 1<br>nents listed in Chapter 2/3<br>May be corros<br>Causes severe<br>Causes seriou  | rive the classification for mixtu<br>08)<br>H290<br>H314<br>H318<br>ive to metals.<br>e skin burns and eye damage.<br>s eye damage.   | ures according to        |
| 15.2. Chemical s<br>For this prep<br>SECTION 16: Othe<br>Classification<br>Regulation (E<br>Classification<br>Hazard staten<br>H290<br>H314<br>H318   | afety assessment<br>aration a chemical safety asses<br>er information<br>and procedure used to de<br>C) 1272/2008 [CLP]:<br>n (Regulation (EC) No. 1272/200<br>Met. Corr. 1<br>Skin Corr. 1B<br>Eye Dam. 1<br>nents listed in Chapter 2/3<br>May be corros<br>Causes seriou<br>es listed in Chapter 2/3<br>Serious eye da  | rive the classification for mixtu<br>08)<br>H290<br>H314<br>H318<br>ive to metals.<br>e skin burns and eye damage.<br>s eye damage.<br>amage, Category 1  |                          |
| 15.2. Chemical s<br>For this prep<br>SECTION 16: Othe<br>Classification<br>Regulation (E<br>Classification<br>Hazard staten<br>H290<br>H314<br>H318<br>CLP categoria<br>Eye Dam. 1  | afety assessment<br>aration a chemical safety asses<br>er information<br>and procedure used to de<br>C) 1272/2008 [CLP]:<br>n (Regulation (EC) No. 1272/200<br>Met. Corr. 1<br>Skin Corr. 1B<br>Eye Dam. 1<br>nents listed in Chapter 2/3<br>May be corros<br>Causes seriou<br>es listed in Chapter 2/3<br>Serious eye da<br>Substance or 1  | esment has not been carried out.<br>rive the classification for mixture<br>(08)<br>H290<br>H314<br>H318<br>ive to metals.<br>e skin burns and eye damage.<br>s eye damage.<br>amage, Category 1<br>mixture corrosive to metals, Categor   |                          |
| 15.2. Chemical s<br>For this prep<br>SECTION 16: Othe<br>Classification<br>Regulation (E<br>Classification<br>Hazard staten<br>H290<br>H314<br>H318<br>CLP categoria<br>Eye Dam. 1<br>Met. Corr. 1  | afety assessment<br>aration a chemical safety asses<br>er information<br>and procedure used to de<br>C) 1272/2008 [CLP]:<br>n (Regulation (EC) No. 1272/200<br>Met. Corr. 1<br>Skin Corr. 1<br>Eye Dam. 1<br>nents listed in Chapter 2/3<br>May be corros<br>Causes severe<br>Causes seriou<br>es listed in Chapter 2/3<br>Serious eye da<br>Substance or no<br>3  | esment has not been carried out.<br>rive the classification for mixture<br>(08)<br>H290<br>H314<br>H318<br>ive to metals.<br>e skin burns and eye damage.<br>s eye damage.<br>amage, Category 1<br>mixture corrosive to metals, Categor   |                          |
| 15.2. Chemical s<br>For this prep<br>SECTION 16: Othe<br>Classification<br>Regulation (E<br>Classification<br>Hazard staten<br>H290<br>H314<br>H318<br>CLP categorie<br>Eye Dam. 1<br>Met. Corr. 1<br>Skin Corr. 1E<br>Abbreviations<br>ADR: Accord<br>RID: Règlem<br>IMDG: Intern<br>ICAO: Intern<br>IATA: Interna<br>VOC: Volatik | afety assessment<br>aration a chemical safety asses<br>er information<br>and procedure used to de<br>C) 1272/2008 [CLP]:<br>n (Regulation (EC) No. 1272/200<br>Met. Corr. 1<br>Skin Corr. 1B<br>Eye Dam. 1<br>nents listed in Chapter 2/3<br>May be corros<br>Causes severe<br>Causes seriou<br>es listed in Chapter 2/3<br>Serious eye da<br>Substance or no<br>skin corrosion<br>a Skin corrosion<br>she européen relatif au transport inte<br>national Maritime Code for Dang<br>ational Civil Aviation Organization<br>ational Air Transport Association<br>e Organic Compound | esment has not been carried out.<br>rive the classification for mixtue<br>(08)<br>H290<br>H314<br>H318<br>ive to metals.<br>e skin burns and eye damage.<br>s eye damage.<br>amage, Category 1<br>mixture corrosive to metals, Categor<br>, Category 1B<br>international des marchandises Dang<br>rnational ferroviaire de marchandises<br>perous Goods<br>on | y 1<br>ereuses par Route |
| 15.2. Chemical s<br>For this prep<br>SECTION 16: Othe<br>Classification<br>Regulation (E<br>Classification<br>Hazard staten<br>H290<br>H314<br>H318<br>CLP categorie<br>Eye Dam. 1<br>Met. Corr. 1<br>Skin Corr. 1E<br>Abbreviations<br>ADR: Accord<br>RID: Règlem<br>IMDG: Intern<br>ICAO: Intern<br>IATA: Interna                 | afety assessment<br>aration a chemical safety asses<br>er information<br>and procedure used to de<br>C) 1272/2008 [CLP]:<br>n (Regulation (EC) No. 1272/200<br>Met. Corr. 1<br>Skin Corr. 1B<br>Eye Dam. 1<br>nents listed in Chapter 2/3<br>May be corros<br>Causes severe<br>Causes seriou<br>es listed in Chapter 2/3<br>Serious eye da<br>Substance or no<br>skin corrosion<br>a deuropéen relatif au transport inte<br>national Maritime Code for Dang<br>ational Civil Aviation Organization<br>ational Air Transport Association<br>e Organic Compound<br>Dse               | esment has not been carried out.<br>rive the classification for mixtue<br>(08)<br>H290<br>H314<br>H318<br>ive to metals.<br>e skin burns and eye damage.<br>s eye damage.<br>amage, Category 1<br>mixture corrosive to metals, Categor<br>, Category 1B<br>international des marchandises Dang<br>rnational ferroviaire de marchandises<br>perous Goods<br>on | y 1<br>ereuses par Route |



# neodisher IR

Version: 4 / GB

Replaces Version: 3 / GB

Date revised: 23.01.2023

Print date: 23.01.23

SVHC: Substances of very high concern MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution) IBC: Intermediate Bulk Container CAS: Chemical Abstracts Service ISO: International Organization for Standardization OEL: Occupational exposure limit OECD: Organisation for Economic Co-operation and Development UN: United Nations IMO: International Maritime Organization

#### Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\* This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.