

neodisher MultiZym

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 19.05.2020

Print date: 02.06.20

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

neodisher MultiZym

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses

PC35

Washing and cleaning products (including solvent based products)

1.3 Details of the Australian Importer

Address: **gke** Australia
12/22 Lexington Drive,
Bella Vista NSW,
Australia 2153

Business Telephone Number: 1300 889 201

Emergency Telephone Number: Poisons Information Centre
13 11 26

1.4. Emergency telephone number

GBK/ Infotrac: (USA domestic) +1 800 535 5053 or international +1 352 323 3500

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Skin Sens. 1 H317

For explanation of abbreviations see section 16.

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms



Signal word

Warning

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P280.3 Wear protective gloves and protective clothing.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet.

neodisher MultiZym

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 19.05.2020

Print date: 02.06.20

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains 2-methylisothiazol-3(2H)-one; subtilisin

2.3. Other hazards

No special hazards have to be mentioned. The product contains no PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

isotridecanol, ethoxylated

CAS No.	69011-36-5			
Concentration	>= 5	<	15	%
Classification (Regulation (EC) No. 1272/2008)	Acute Tox. 4	H302		Route of exposure: oral
	Eye Dam. 1	H318		

sodium alkylsulfonate

CAS No.	68188-18-1			
EINECS no.	269-144-1			
Registration no.	01-2119517577-32			
Concentration	>= 1	<	5	%
Classification (Regulation (EC) No. 1272/2008)	Eye Irrit. 2	H319		
	Skin Irrit. 2	H315		
	Acute Tox. 4	H302		Route of exposure: oral
	Aquatic Chronic 3	H412		

2-methylisothiazol-3(2H)-one

CAS No.	2682-20-4			
EINECS no.	220-239-6			
Concentration	>= 0,0015	<	0,01	%
Classification (Regulation (EC) No. 1272/2008)	Acute Tox. 3	H301		Route of exposure: oral
	Acute Tox. 3	H311		Route of exposure: dermal
	Acute Tox. 1	H330		Route of exposure: inhalative
	Skin Corr. 1B	H314		
	Skin Sens. 1A	H317		
	STOT SE 3	H335		
	Aquatic Acute 1	H400		
	Aquatic Acute 1	H410		

Concentration limits (Regulation (EC) No. 1272/2008)

Aquatic Acute 1 M = 10

subtilisin

CAS No.	9014-01-1			
EINECS no.	232-752-2			
Registration no.	01-2119480434-38			
Concentration	>= 0,1	<	1	%
Classification (Regulation (EC) No. 1272/2008)	Acute Tox. 4	H302		Route of exposure: oral
	Skin Irrit. 2	H315		
	Eye Dam. 1	H318		
	Resp. Sens. 1	H334		
	STOT SE 3	H335		

neodisher MultiZym

Version: 6 / GB

Replaces Version: 5 /
GB

Date revised: 19.05.2020

Print date: 02.06.20

Aquatic Acute 1 H400
Aquatic Chronic 2 H411

Other information

Complete text of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of persistent symptoms consult doctor.

After inhalation

Ensure supply of fresh air. In the event of symptoms take medical treatment.

After skin contact

In case of contact with skin wash off with warm water. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). In case of irritation consult an oculist.

After ingestion

Rinse out mouth and give plenty of water to drink.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

In case of combustion use a suitable breathing apparatus.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into surface waters/groundwater.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Clean contaminated floors and objects thoroughly, observing environmental regulations. Dispose of as prescribed.

neodisher MultiZym

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 19.05.2020

Print date: 02.06.20

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > 0 < 25 °C

Requirements for storage rooms and vessels

Store product in closed containers.

Hints on storage assembly

Do not store together with foodstuffs.

Storage classes

Storage class according to TRGS 510 12 Non-combustible liquids

Further information on storage conditions

Keep container tightly closed and dry.

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

glycerol

List	EH40	
Type	WEL	
Value	10	mg/m ³
Status:	2011	

subtilisin

List	EH40	
Type	WEL	
Value	0.00004	mg/m ³
Status:	2020; Remarks: Sen	

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Observe the usual precautions for handling chemicals.

Respiratory protection

Not necessary, but do not inhale vapours. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn.

Hand protection

Chemical resistant gloves	
Use	Permanent hand contact

neodisher MultiZym

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 19.05.2020

Print date: 02.06.20

Appropriate Material	neoprene		
Material thickness	>=	0,65	mm
Breakthrough time	>	480	min
Appropriate Material	nitrile		
Material thickness	>=	0,4	mm
Breakthrough time	>	480	min
Appropriate Material	butyl		
Material thickness	>=	0,7	mm
Breakthrough time	>	480	min
Use	Short-term hand contact		
Appropriate Material	nitrile		
Material thickness	>=	0,11	mm
Hand protection must comply with EN 374.			

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

Body protection

Not necessary.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	liquid, transparent to opaque
Colour	yellow
Odour	characteristic
Odour threshold	
Remarks	not determined
pH value	
Value	8,5 to 9,0
Melting point	
Remarks	not determined
Freezing point	
Remarks	not determined
Initial boiling point and boiling range	
Remarks	not determined
Flash point	
Remarks	Not applicable
Evaporation rate (ether = 1) :	
Remarks	not determined
Flammability (solid, gas)	
evaluation	not determined
Upper/lower flammability or explosive limits	
Remarks	Not applicable
Vapour pressure	
Remarks	not determined
Vapour density	
Remarks	not determined
Density	
Value	1,06 g/cm ³
Temperature	20 °C

neodisher MultiZym

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 19.05.2020

Print date: 02.06.20

Solubility in water

Remarks miscible in all proportions

Solubility(ies)

Remarks not determined

Partition coefficient: n-octanol/water

Remarks not determined

Ignition temperature

Remarks Not applicable

Decomposition temperature

Remarks not determined

Viscosity

dynamic

Value < 50 mPa.s
Temperature 20 °C

Explosive properties

evaluation no

Oxidising properties

evaluation None known

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

Species rat
LD50 > 2000 mg/kg
Method calculated value (Regulation (EC) No. 1272/2008)
Remarks Based on available data, the classification criteria are not met.

Acute oral toxicity (Components)

neodisher MultiZym

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 19.05.2020

Print date: 02.06.20

isotridecanol, ethoxylated

Species	rat				
LD50	300	to	2000	mg/kg	

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

evaluation	slight irritant effect - does not require labelling
Source	OECD 438

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

sodium alkylsulfonate

Species	zebra fish (Brachydanio rerio)			
LC50	1	to	10	mg/l
Duration of exposure	96	h		

isotridecanol, ethoxylated

Species	carp (Cyprinus carpio)			
LC50	1	to	10	mg/l
Duration of exposure	96	h		
Method	OECD 203			

Daphnia toxicity (Components)

sodium alkylsulfonate

Species	Daphnia magna			
EC50	9,81			mg/l

neodisher MultiZym

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 19.05.2020

Print date: 02.06.20

Duration of exposure	48	h		
isotridecanol, ethoxylated				
Species	Daphnia magna			
EC50	1	to	10	mg/l
Duration of exposure	48	h		
Method	OECD 202			

Algae toxicity (Components)

sodium alkylsulfonate

Species	Scenedesmus subspicatus			
EC50	> 61			mg/l
Duration of exposure	72	h		

isotridecanol, ethoxylated

Species	Scenedesmus subspicatus			
EC50	1	to	10	mg/l
Duration of exposure	72	h		
Method	OECD 201			

Bacteria toxicity (Components)

isotridecanol, ethoxylated

Species	activated sludge			
EC50	140			mg/l

12.2. Persistence and degradability

General information

not determined

Biodegradability

Remarks The organic content of the product is biodegradable.

Biodegradability (Components)

isotridecanol, ethoxylated

evaluation Readily biodegradable (according to OECD criteria)

sodium alkylsulfonate

evaluation Readily biodegradable (according to OECD criteria)

Chemical oxygen demand (COD) (Components)

sodium alkylsulfonate

Value 1510 mg/g

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

Evaluation of persistence and bioaccumulation potential

The product contains no PBT or vPvB substances.

12.6. Other adverse effects

neodisher MultiZym

Version: 6 / GB

Replaces Version: 5 / GB

Date revised: 19.05.2020

Print date: 02.06.20

General information

not determined

General information / ecology

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	Non-dangerous goods	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.

Information for all modes of transport

14.6. Special precautions for user

See Sections 6 to 8

Other information

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredients (Regulation (EC) No 648/2004)

5 % or over but less than 15 %:

non-ionic surfactants

less than 5 %:

anionic surfactants

Further ingredients

enzymes, preservation agents: 2-octyl-2H-isothiazol-3-one, 2-methylisothiazol-3(2H)-one

VOC

VOC (EU) 0 %

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

neodisher MultiZym

Version: 6 / GB

Replaces Version: 5 /
GB

Date revised: 19.05.2020

Print date: 02.06.20

Hazard statements listed in Chapter 3

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Acute Tox. 1	Acute toxicity, Category 1
Acute Tox. 3	Acute toxicity, Category 3
Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic, Category 3
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Resp. Sens. 1	Respiratory sensitization, Category 1
Skin Corr. 1B	Skin corrosion, Category 1B
Skin Irrit. 2	Skin irritation, Category 2
Skin Sens. 1A	Skin sensitization, Category 1A
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
VOC: Volatile Organic Compound
LD: Lethal dose
LC: Lethal concentration
PBT: Persistent, Bioaccumulative and Toxic
vPvB: Very persistent and very bioaccumulative
SVHC: Substances of very high concern
UN: United Nations
CAS: Chemical Abstracts Service
OECD: Organisation for Economic Co-operation and Development
GHS: Globally Harmonized System of classification and Labelling of Chemicals
REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals
MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution)
IBC: Intermediate Bulk Container
ASTM: American Society for Testing And Materials
TSCA: Toxic Substances Control Act (USA)
WHO: World Health Organization
IMO: International Maritime Organization
IUCLID: International Uniform Chemical Information Database

neodisher MultiZym

Version: 6 / GB

Replaces Version: 5 /
GB

Date revised: 19.05.2020

Print date: 02.06.20

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a
guarantee for any specific product properties and shall not establish a legally valid relationship.